

# INT-AC-C305

uReader-A PWR-RS232-DE9H





## 1. Descripción - Description:

Descripción técnica del cable INT-AC-C305 para conexión del producto uReader a través del conector A. Permite alimentación del equipo y conexión serie RS232 a través de un conector DE9H con alimentación externa.

Technical description of cable INT-AC-C305 for uReader through the A connector. Allows power supply and RS232 serial connection through an external power connector DE9H.

## 2. Esquema - Schematics:

# C305



! El color de los cables se utiliza sólo como referencia. El color puede cambiar sin previo aviso. Compruebe siempre que cada cable llega al pin del conector correspondiente.

! The wire colors are only as reference. The color may change without notice. Always check that each wire reaches the correct pin of the connector.

### 3. Compatibilidad – Compatibility

- uReaderFMS
- uReaderGPS

## Document revision History

| #   | Date       | Author | Apvd  | Changes  |
|-----|------------|--------|-------|--|
| r01 | 2012/05/08 | JAL    | JJBMT | First release  |
| r02 | 2012/08/08 | JVL    | JJBMT | Adjustments to data  |
| r03 | 2013/10/21 | MIM    | JJBMT | Image C305 changed because a mistake in the connector AR                 |
| r04 | 2014/05/19 | JVL    | JJBMT | Instructions and comments removed.<br>Pinout changed according to Molex. |
| r05 | 2017/03/01 | FGM    | MLG   | Schematics style update. Logo and Header contact details updated.        |
| r06 | 2020/10/15 | FGM    | FGM   | Adapt CI + source format export to Gdoc.                                 |