

INT-AC-SCR232

Lector de tarjetas para uReaderGPS

1. Descripción - Description:

Lector de tarjetas INT-AC-SCR232 con conector A para conexión directa del lector al equipo uReaderGPS. Permite la descarga de tarjeta de conductor y conexión de la tarjeta de empresa en el propio vehículo para dar servicio de descarga remota a todos los vehículos de la flota.

Smartcard reader INT-AC-SCR232 suited for uReaderGPS with connector A to be connected to the uReaderGPS device. Allows to download driver card in the vehicle or connect the company card in one vehicle so all the vehicles in the company can use it for remote download.

2. Aplicaciones - Applications:

Tarjetas aceptadas

- Tarjeta de empresa
- Tarjeta de conductor

Cards accepted

- Company card
- Driver card



3. Características - Features:

- Dispositivo lector y grabador de tarjeta chip para uReaderGPS ISO-7816.
- Chip card reader and recorder connected for uReaderGPS ISO-7816.

4. Compatibilidad – Compatibility

- uReaderGPS

5. Especificaciones – Technical Specifications

- Alimentación de 12v a 24v
- Conexión serie RS232
- Conector microfit 2x2 para conectar en uReaderGPS-A
- Indicador luminoso verde/rojo

- Power supply 12v to 24v
- RS232 serial connection
- Microfit 2x2 suited for uReaderGPS-A
- Equipped with light indicator green/red.

6. Observaciones / Comments

La tarjeta ha de introducirse con el chip hacia arriba.

El color del indicador luminoso indica tres estados:

- Verde: tarjeta no presente, tarjeta no válida o problema de comunicación.
- Rojo intermitente: en comunicación con la tarjeta.
- Rojo: Tarjeta detectada correctamente.

Cards must be inserted with the chip facing up.

The light indicator shows three states:

- Green: the card is not present, not valid or there is a communication problem.
- Flasing red: communication on going.
- Red: the card is working properly.

Document revision History

#	Date	Author	Apvd	Changes
r01	2014/05/19	JVL	JJBMT	First release
r02	2017/04/24	FGM	MLG	Logo/Header contact details updated.
r03	2017/06/06	FGM	FGM	Image updated.
r04	2020/10/15	FGM	FGM	Adapt CI + source format export to Gdoc.